Version: A

2018-06-23

# Specification for Approval

Customer:	_
Model Name:_	

Si	upplier Approv	Customer approval	
R&D Designed	R&D Approved	QC Approved	
Peter	Peng Jun		



Version: A

2018-06-23

# **Revision Record**

REV NO.	REV DATE	CONTENTS	Note
Α	2018-06-23	NEW ISSUE	

Version: A

2018-06-23

# **Table of Contents**

List	Description	Page No.
	Cover	1
	Revision Record	2
	Table of Contents	3
1	Scope	4
2	General Information	4
3	External Dimensions	5
4	Interface Description	6
5	Absolute Maximum Ratings	7
6	DC Characteristics	7
7	Timing Characteristics	
8	Backlight Characteristics	
9	Optical Characteristics	12
10	Reliability Test Conditions and Methods	14
11	Inspection Standard	15
12	Handling Precautions	19
13	Precaution for Use 20	
14	Packing Method 20	



Version: A

2018-06-23

### 1. Scope

This specification defines general provisions as well as inspection standards for TFT module supplied by AMSON electronics.

If the event of unforeseen problem or unspecified items may occur, naturally shall negotiate and agree to solution.

### 2. General Information


ITEM	STANDARD VALUES	UNITS
LCD type	4.3"TFT	
Dot arrangement	800 (RGB)×480	dots
Color filter array	RGB vertical stripe	
Display mode	Normally BLACK IPS	-
Viewing Direction	ALL View	
Driver IC	HX8264D+HX8664	
Module size	105.5(W)×67.2(H)×3.0(T)	mm
Active area	95.04(W)×53.86(H)	mm
Dot pitch	0.135(W)×0.135(H)	mm
Interface	24-bit Parallel RGB Interface	
Operating temperature	-20 ~ +70	°C
Storage temperature	-30 ~ +80	°C
Back Light	16 White LED	
Weight	TBD	g



Version: A

2018-06-23

### 3. External Dimensions





Version: A

2018-06-23

### 4. Interface Description

Pin	Symbol	Description.
1	LEDK	LED backlight (Cathode).
2	LEDA	LED backlight (Anode).
3	GND	Ground.
4	VDD	Power supply.
5~12	R0~R7	Red Data.
13~20	G0~G7	Green Data.
21~28	B0~B7	Blue Data.
29	GND	Ground.
30	DCLK	Clock.
31	DISP	Display on/off.
32	HSYNC	Horizontal sync input in RGB mode.
33	VSYNC	Vertical sync input in RGB mode.
34	DE	Data input Enable.
35	NC	No connection.
36	GND	Ground.
37	NC	No connection.
38	NC	No connection.
39	NC	No connection.
40	NC	No connection.



Version: A

2018-06-23

5. Absolute Maximum Ratings

Item	Symbol	Min.	Max.	Unit
Logic Supply Voltage	VDD	-0.5	5.0	V
Input Voltage	Vin	-0.3	VDD +0.3	V
Operating Temperature	Тор	-20	70	Ô
Storage Temperature	Тѕт	-30	80	°C
Storage Humidity	HD	20	90	%RH


### 6. DC Characteristics

<u> </u>						
ltem	Symbol	Min.	Тур.	Max.	Unit	Remark
Logic Supply Voltage	VDD	3.0	3.3	3.6	V	-
Input High Voltage	$V_{IH}$	0.7VDD	-	VDD	V	-
Input Low Voltage	$V_{IL}$	GND	-	0.3 VDD	V	-
Output High Voltage	$V_{OH}$	VDD-0.4	-	VDD	V	-
Output Low Voltage	V <sub>OL</sub>	GND	-	GND+0.4	V	-
I/O Leak Current	ILI	-1	-	1	uA	-
Supply Current	IDD	-	7.0	10	mA	-

Version: A

2018-06-23

# 7. Timing Characteristics 7.1 Power ON/OFF Sequence




Version: A


2018-06-23

### 7.2 AC Timing characteristics


### DE Mode (MODE='1')




#### SYNC Mode (MODE='0')




### Source Output timing Diagram (Cascade)



#### Vertical Timing Diagram of SYNC Mode (Dual Gate)




#### Vertical Timing Diagram of DE Mode (Dual Gate)





Version: A

2018-06-23



 $t_{VD}$ 

tν

t<sub>VPW</sub>

 $t_{VBP}$ 

tvfp

510

1

23

7

525

23

22

650

20

23

147

**HSD** 

**HSD** 

**HSD** 

**HSD** 

VSD period time

VSD pulse width


VSD back porch

VSD front porch

Version: A

2018-06-23

### 8. Backlight Characteristics



Item	Symbol	MIN	TYP	MAX	UNIT	<b>Test Condition</b>
Supply Voltage	Vf	23	24	25.0	V	If=40mA
Supply Current	If	-	40	-	mA	
Luminous Intensity for LCM	-	650	750	-	cd/m <sup>2</sup>	If=40mA
Uniformity for LCM	-	80	-	-	%	If=40mA
Life Time	-	20000		-	Hr	If=40mA
Backlight Color	White					




Version: A

2018-06-23

9. Optical Characteristics


Item	Condition	S	Min.	Тур.	Max.	Unit	Note	
Harimanta	Horizontal	θL	70	80	-			
Viewing Angle	HOHZOHIAI	θR	70	80	-	dograa	(4) (0) (0)	
(CR>10)	Vertical	θт	70	80	-	degree	(1),(2),(6)	
	vertical	θв	70	80	_			
Contrast Ratio	Center		640	800	_	-	(1),(3),(6)	
Response Time	Rising		-	10	20	ms	(1),(4),(6)	
	Falling		-	15	30			
	Red x			TBD		-		
	Red y			TBD		-		
	Green x			TBD		-		
CF Color	Green y			TBD		-	(4) (6)	
(CIE1931)	Chromaticity (CIF1931) Blue x		Тур.	TBD	Тур.	-	(1), (6)	
(= 551)	Blue y		-0.05	TBD	+0.05	-		
	White x			TBD	]	-		
	White y			TBD		-		


Note (1) Measurement Setup: The LCD module should be stabilized at given temp. 25°C for 15 minutes to avoid abrupt temperature change during measuring. In order to stabilize the luminance, the measurement should be executed after lighting backlight for 15 minutes in a windless room.



Version: A

2018-06-23






Note (3) Definition Of Contrast Ratio (CR)

The contrast ratio can be calculated by the following expression Contrast Ratio (CR) = L63 / L0

L63: Luminance of gray level 63, L0: Luminance of gray level 0 Note (4) Definition of response time



Note (5) Definition of Transmittance (Module is without signal input)

Transmittance = Center Luminance of LCD / Center Luminance of Back Light x 100%

Note (6) Definition of color chromaticity (CIE1931)

Color coordinates measured at the center point of LCD



Version: A

2018-06-23

10. Reliability Test Conditions and Methods

NO.	TEST ITEMS	TEST CONDITION	INSPECTION AFTER TEST
	High Temperature Storage	80°C±2°C×96Hours	
	Low Temperature Storage	-30°C±2°C×96Hours	
	High Temperature Operating	70°C±2°C×96Hours	
	Low Temperature Operating	-20°C±2°C×96Hours	Inspection after 2~4hours storage at room temperature, the samples
	Temperature Cycle(Storage)	-20°C 25°C 70°C (30min) (30min) 1cycle Total 10cycle	should be free from defects: 1, Air bubble in the LCD. 2, Seal leak. 3, Non-display. 4, Missing segments.
	Damp Proof Test (Storage)	50°C±5°C×90%RH×96Hours	<ul><li>5, Glass crack.</li><li>6, Current IDD is twice</li></ul>
	Vibration Test	Frequency:10Hz~55Hz~10Hz Amplitude:1.5MM X,Y,Z direction for total 3hours (packing condition test will be tested by a carton)	higher than initial value. 7, The surface shall be free from damage. 8, The electric characteristic requirements shall be satisfied.
	Drooping Test	Drop to the ground from 1M height one time every side of carton.  (packing condition test will be tested by a carton)	orian be outloiled.
	ESD Test	Voltage:±8KV,R:330Ω,C:150PF,Air Mode,10times	

#### REMARK:

- 1, The Test samples should be applied to only one test item.
- 2, Sample side for each test item is 5~10pcs.
- 3,For Damp Proof Test, Pure water(Resistance  $> 10M\Omega$ )should be used.
- 4,In case of malfunction defect caused by ESD damage, if it would be recovered to normal state after resetting, it would be judge as a good part.
- 5, EL evaluation should be accepted from reliability test with humidity and temperature: Some defects such as black spot/blemish can happen by natural chemical reaction with humidity and Fluorescence EL has.
- 6, Failure Judgment Criterion: Basic Specification Electrical Characteristic, Mechanical Characteristic, Optical Characteristic.



Version: A

2018-06-23

### 11. Inspection Standard

#### 11.1. QUALITY:

THE QUALITY OF GOODS SUPPLIED TO PURCHASER SHALL COME UP TO THE FOLLOWING STANDARD.

#### 11.1.1. THE METHOD OF PRESERVING GOODS

AFTER DELIVERY OF GOODS FROM AMSON TO PURCHASER. PURCHASER SHALL CONTROL THE LCM AT -10 °C TO 40 °C ,AND IT MIGHT BE DESIRABLE TO KEEP AT THE NORMAL ROOM TEMPERATURE AND HUMIDITY UNTIL INCOMING INSPECTION OR THROWING INTO PROCESS LINE.

#### 11.1.2. INCOMING INSPECTION

#### (A) THE METHOD OF INSPECTION

IF PURCHASER MAKE AN INCOMING INSPECTION, A SAMPLING PLAN SHALL BE APPLIED ON THE CONDITION THAT QUALITY OF ONE DELIVERY SHALL BE REGARDED AS ONE LOT.

#### (B) THE STANDARD OF QUALITY

ISO-2859-1 (SAME AS MIL-STD-105E), LEVEL II SINGLE PLAN.

CLASS	AQL(%)
CRITICAL	0.4 %
MAJOR	0.65 %
MINOR	1.5 %
TOTAL	1.5 %

EVERY ITEM SHALL BE INSPECTED ACCORDING TO THE CLASS.

#### (C) MEASURE

IF AS THE RESULT OF ABOVE RECEIVING INSPECTION, A LOT OUT IS DISCOVERED. PURCHASER SHALL BE INFORM SELLER OF IT WITHIN SEVEN DAYS. BUT FIRST SHIPMENT WITHIN FOURTEEN DAYS.

#### 11.1.3. WARRANTY POLICY

AMSON WILL PROVIDE ONE-YEAR WARRANTY FOR THE PRODUCTS ONLY IF UNDER SPECIFICATION OPERATING CONDITIONS. AMSON WILL REPLACE NEW PRODUCTS FOR THESE DEFECT PRODUCTS WHICH UNDER WARRANTY PERIOD AND BELONG TO THE RESPONSIBILITY OF AMSON.

#### 11.2. CHECKING CONDITION

- 11.2.1. CHECKING DIRECTION SHALL BE IN THE 45 DEGREE AREA TO FACE THE SAMPLE.
- 11.2.2. CHECKER SHALL SEE OVER 300±25 mm. WITH BARE EYES FAR FROM SAMPLE AND USING 2 PCS. OF 20W FLUORESCENT LAMP.



Version: A

2018-06-23

### 11.3. INSPECTION PLAN:

11.0. IIVOI EO	TION PLAN :		
CLASS	ITEM	JUDGEMENT	CLASS
PACKING &	1. OUTSIDE AND INSIDE PACKAGE	"MODEL NO." , "LOT NO." AND "QUANTITY" SHOULD INDICATE ON THE PACKAGE.	Minor
INDICATE	2. MODEL MIXED AND QUANTITY	OTHER MODEL MIXEDREJECTED  QUANTITY SHORT OR OVERREJECTED	Critical
	3. PRODUCT INDICATION	"MODEL NO." SHOULD INDICATE ON THE PRODUCT	Major
ASSEMBLY	4. DIMENSION, LCD GLASS SCRATCH AND SCRIBE DEFECT.	ACCORDING TO SPECIFICATION OR DRAWING.	Major
APPEARANCE	5. VIEWING AREA	POLARIZER EDGE OR LCD'S SEALING LINE IS VISABLE IN THE VIEWING AREAREJECTED	Minor
	6. BLEMISH - BLACK SPOT - WHITE SPOT IN THE LCD AND LCD GLASS CRACKS	ACCORDING TO STANDARD OF VISUAL INSPECTION(INSIDE VIEWING AREA)	Minor
	7. BLEMISH - BLACK SPOT WHITE SPOT AND SCRATCH ON THE POLARIZER	ACCORDING TO STANDARD OF VISUAL INSPECTION(INSIDE VIEWING AREA)	Minor
	8. BUBBLE IN POLARIZER	ACCORDING TO STANDARD OF VISUAL INSPECTION(INSIDE VIEWING AREA)	Minor
	9. LCD'S RAINBOW COLOR	STRONG DEVIATION COLOR ( OR NEWTON RING) OF LCDREJECTED.  OR ACCORDING TO LIMITED SAMPLE ( IF NEEDED, AND INSIDE VIEWING AREA )	Minor
	10. ELECTRICAL AND OPTICAL CHARACTERISTICS ( CONTRAST, VOP, CHROMATICITY ETC )	ACCORDING TO SPECIFICATION OR DRAWING . (INSIDE VIEWING AREA)	Critical
ELECTRICAL	11.MISSING LINE	MISSING DOT: LINE: CHARACTERREJECTED	Critical
	12.SHORT CIRCUIT WRONG PATTERN DISPLAY	NO DISPLAY - WRONG PATTERN  DISPLAY - CURRENT CONSUMPTION  OUT OF SPECIFICATION REJECTED	Critical
	13. DOT DEFECT (FOR COLOR AND TFT)	ACCORDING TO STANDARD OF VISUAL INSPECTION	Minor



Version: A

2018-06-23

BLACK AND WHITE SPOT FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH	unit : mm.  ACCEPTABLE Q'TY  DISREGARD  3 (Distance>5mm)  0  )/2  unit : mm.		
BLACK AND WHITE SPOT FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH	ACCEPTABLE Q'TY DISREGARD 3 (Distance>5mm) 0		
BLACK AND WHITE SPOT FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH	DISREGARD 3 (Distance>5mm) 0		
BLACK AND WHITE SPOT FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH	3 (Distance>5mm) 0		
BLACK AND WHITE SPOT FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH	0)/2		
FOREIGN MATERIEL DUST IN THE CELL BLEMISH SCRATCH $0.25 < \Phi$ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH} + \text{WIDTH})$ $  0.25 < \Phi  $ NOTE: $\Phi = (\text{LENGTH} + \text{WIDTH} + WIDTH$	)/2		
MINOR DUST IN THE CELL BLEMISH SCRATCH $  DUST   D$	,		
BLEMISH SCRATCH (B) LINEAR TYPE:    LENGTH   WIDTH	unit : mm.		
W : L ≤ 5.0 0.03 < W :			
L ≤ 5.0 0.03 < W	ACCEPTABLE Q'TY		
1 1 1 <del>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </del>	≦0.03 DISREGARD		
	≦0.07 3 (Distance>5mm)		
0.07 < W	FOLLOW ROUND TYPE		
	unit : mm.		
DIAMETER	ACCEPTABLE Q'TY		
BUBBLE IN POLARIZER	DISREGARD		
11.4.2 MINOR DENT ON POLARIZER $0.2 < \Phi \le 0.5$	2 (Distance>5mm)		
	0		
Items	ACC. Q'TY		
Dot Defect Bright dot	N≤ 4		
Dark dot	N≦ 4		
Pixel Define : Pixel	1 -1		
Tixes			
	В		
11.4.3 MINOR			
◆ Dot → Dot	→ Dot →		
Note 1: The definition of dot: The	Note 1: The definition of dot: The size of a defective dot over 1/2 of whole dot is regarded as one defective dot.		
1/2 of whole dot is regard			
Note 2: Bright dot: Dots appear b	Note 2: Bright dot: Dots appear bright and unchanged in size		
in which LCD panel is dis	in which LCD panel is displaying under black pattern.		
Note 3: Dark dot: Dots appear da	ark and unchanged in size in		
which LCD panel is displ	aying under pure red, green		
,blue pattern.			



Version: A

2018-06-23

NO.	CLASS	ITEM	JUDGEMENT		
11.4.4	MINOR	LCD GLASS CHIPPING	S	Y > S Reject	
11.4.5	MINOR	LCD GLASS CHIPPING	SX	X or Y > S Reject	
11.4.6	MAJOR	LCD GLASS GLASS CRACK	Y Y	Y > (1/2) T Reject	
11.4.7	MAJOR	LCD GLASS SCRIBE DEFECT	A + B	<ol> <li>a&gt; L/3 , A&gt;1.5mm. Reject</li> <li>B: ACCORDING TO DIMENSION</li> </ol>	
11.4.8	MINOR	LCD GLASS CHIPPING ( ON THE TERMINAL AREA )	T	$\Phi = (x+y)/2 > 2.5 \text{ mm}$ Reject	
11.4.9	MINOR	LCD GLASS CHIPPING ( ON THE TERMINAL SURFACE )	T Y	Y > (1/3) T Reject	
11.4.10	MINOR	LCD GLASS CHIPPING	Y Z Z	Y > T Reject	



Version: A

2018-06-23

### 12. Handling Precautions

### 12.1 Mounting method

The LCD panel of AMSON TFT module consists of two thin glass plates with polarizes which easily be damaged. And since the module in so constructed as to be fixed by utilizing fitting holes in the printed circuit board.

Extreme care should be needed when handling the LCD modules.

### 12.2 Caution of LCD handling and cleaning

When cleaning the display surface, Use soft cloth with solvent

[Recommended below] and wipe lightly

- Isopropyl alcohol
- Ethyl alcohol

Do not wipe the display surface with dry or hard materials that will damage the polarizer surface.

Do not use the following solvent:

- Water
- Aromatics

Do not wipe ITO pad area with the dry or hard materials that will damage the ITO patterns Do not use the following solvent on the pad or prevent it from being contaminated:

- Soldering flux
- Chlorine (CI), Sulfur (S)

If goods were sent without being silicon coated on the pad, ITO patterns could be damaged due to the corrosion as time goes on.

If ITO corrosion happen by miss-handling or using some materials such as Chlorine (CI), Sulfur (S) from customer, Responsibility is on customer.

### 12.3 Caution against static charge

The LCD module use C-MOS LSI drivers, so we recommended that you:

Connect any unused input terminal to power or ground, do not input any signals before power is turned on, and ground your body, work/assembly areas, and assembly equipment to protect against static electricity.

### 12.4 packing

- Module employs LCD elements and must be treated as such.
- Avoid intense shock and falls from a height.
- To prevent modules from degradation, do not operate or store them exposed direct to sunshine or high temperature/humidity

### 12.5 Caution for operation

- It is an indispensable condition to drive LCD's within the specified voltage limit since the higher voltage then the limit cause the shorter LCD life.
- An electrochemical reaction due to direct current causes LCD's undesirable deterioration, so that the use of direct current drive should be avoided.
- Response time will be extremely delayed at lower temperature then the operating temperature range and on the other hand at higher temperature LCD's how dark color in them. However those phenomena do not mean malfunction or out of order with LCD's, which will come back in the specified operation temperature.
- If the display area is pushed hard during operation, some font will be abnormally displayed but it resumes normal condition after turning off once.
- Slight dew depositing on terminals is a cause for electro-chemical reaction resulting in terminal open circuit.
  - Usage under the maximum operating temperature, 50%Rh or less is required.



Version: A

2018-06-23

### 12.6 storing

In the case of storing for a long period of time for instance, for years for the purpose or replacement use, the following ways are recommended.

- Storage in a polyethylene bag with the opening sealed so as not to enter fresh air outside in it. And with no desiccant.
- Placing in a dark place where neither exposure to direct sunlight nor light's keeping the storage temperature range.
- Storing with no touch on polarizer surface by the anything else.
   [It is recommended to store them as they have been contained in the inner container at the time of delivery from us.

#### 12.7 Safety

- It is recommendable to crash damaged or unnecessary LCD's into pieces and wash off liquid crystal by either of solvents such as acetone and ethanol, which should be burned up later.
- When any liquid leaked out of a damaged glass cell comes in contact with your hands, please wash it off well with soap and water.

### 13. Precaution for Use

#### 13.1

A limit sample should be provided by the both parties on an occasion when the both parties agreed its necessity. Judgment by a limit sample shall take effect after the limit sample has been established and confirmed by the both parties.

#### 13.2

On the following occasions, the handing of problem should be decided through discussion and agreement between responsible of the both parties.

- When a question is arisen in this specification.
- When a new problem is arisen this is not specified in this specification.
- When an inspection specifications change or operating condition change in customer is reported to AMSON TFT and some problem is arisen in this specification due to the change.
- When a new problem is arisen at the customer's operating set for sample evaluation in the customer site.

# 14. Packing Method TBD